





Food and Drug Administration 10903 New Hampshire Avenue Document Control Room –WO66-G609 Silver Spring, MD 20993-0002

Bettini S.p.A. C/O Mr. Claude Berthoin President Thema USA 110 E. Granada Blvd. Suite 207 Ormond Beach, Florida 32176

MAR 3 0 2012

Re: K113431

Trade/Device Name: Bettini BZD Zirconia Blocks

Regulation Number: 21 CFR 872.6660

Regulation Name: Porcelain Powder For Clinical Use

Regulatory Class: II Product Code: EIH Dated: March 12, 2012 Received: March 15, 2012

## Dear Mr. Berthoin:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal</u> Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <a href="http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm">http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm</a> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <a href="http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm">http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm</a> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm.

Sincerely yours,

b

Anthony D. Watson, B.S., M.S., M.B.A. Director

Division of Anesthesiology, General Hospital, Infection Control and Dental Devices Office of Device Evaluation Center for Devices and Radiological Health

Enclosure

## **Indications For Use**

Applicant: Bettini S.p.A.	
510(k) Number (if known):K 113431	<i>.</i> <del>-</del>
Device Name: Bettini BZD Zirconia Blocks	
Indication For Use:	
Bettini BZD Zirconia Blocks are indicated for use in and onlays to produce a hard prosthesis with a porce frequently used with porcelain overlay for translucer utilized to fabricate copings and frameworks for inla anterior and posterior bridge restorations.	lain-like finish. The blocks are nee and related effects, and they are
Prescription Use X And/Or (21 CFR Part 801 Subpart D)	Over the Counter Use (21 CFR Part 801 Subpart C)
(PLEASE DO NOT WRITE BELOW THIS LINE – C NEEDED).	ONTINUE ON ANOTHER PAGE IF
Concurrence of CDRH, Office of Device Evaluation (ODE).	
Division Sign-Off Office of Device Evaluation 510(k)	(Division Sign-Off) Division of Anesthesiology, General Hospital Infection Control, Dental Devices 510(k) Number: [X]343